: SADDLE FITTING, AFT (OUTBOARD/INBOARD)

Qty:

8 Um:

Each

Date:

Thursday, 01/05/2008 9:45:56 AM

User:

Julie Lecocq

**Process Sheet** 

**Drawing Name** 

**Part Number** 

Material **Due Date** 

**Drawing Number** 

**Project Number** 

**Drawing Revision** 

: D2573

: N/A

; E

D2573 REV E

: 10/05/2008

Customer

: CU-DAR001 Dart Helicopters Services

Type

Job Number : 38922 **Estimate Number** : 10533

P.O. Number This Issue

: 01/05/2008

: NC

First Issue : //

: 38657 **Previous Run** 

Written By

Prsht Rev.

Checked & Approved By

Comment

S.O. No. :

As Per RevE 06-01-27 JLM

: MACHINED PARTS

Total:

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

D6101007 1.0

Saddle Billet

8.0000 Each(s)

Comment: Qty.:

7075-T7351 8.25X7.75X2.5

Make from D6101-007 billet for D2573

1.0000 Each(s)/Unit

Ensure that grain is along 7.75" length Batch No: 13487

2.0

HAAS1



Comment: HAAS CNC VERTICAL MACHINING #1

Program Batch No.

Double check by:

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per

Folio FA051 and inspect per attached Dimension Sheets

3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets

4-Deburr and remove all machining marks

5-Tumble to remove sharp edges.

3.0

MILLING CONV.

**Comment: CONVENTIONAL MILLING MACHINE** 

Machine keyway as per dwg D2573 & D2574

4.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE

Comment: INSPECT PARTS AS THEY COME OFF MACHINE

## **Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
· 		145 m					
, 	;						
Part No	:	PAR #: PAR #: NCI	R: Yes	No DQA		_ Date: _	

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_

NCR:		W	ORK ORD	ER NON-CONFORMANC	E (NCR)	Mediana pos		
		Description of NC		Corrective Action Section B		Verification	Annroyal	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
,							:-	e established
							is the second in the con-	in the second
		· ·		·				
	į							
		;		•				

NOTE: Date & initial all entries

Date: Thursday, 01/05/2008 9:45:56 AM User: Julie Lecocq **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: SADDLE FITTING, AFT (OUTBOARD/INBOARD) Job Number: 38922 Part Number: D2573 Job Number: Seq. #: **Machine Or Operation:** Description: 5.0 QC8 SECOND CHECK Comment: SECOND CHECK HAND FINISHING1 6.0 HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 7.0 POWDER COATING POWDER COATING **Comment: POWDER COATING** Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 START TIME: **OVEN TEMPERATURE:** FINISH TIME: 8.0 QC3 INSPECT POWDER COAT/CHEMICAL CONVERSION Comment: INSPECT POWDER COAT 9.0 PACKAGING 1 PACKAGING RESOURCE # Comment: PACKAGING RESOURCE #5 Identify and Stock Location: 10.0 Comment: FINAL INSPECTION/W/O RELEASE 08-05-27 Job Completion

## **Dart Aerospace Ltd**

W/O:	<del></del>	WORK ORDER CH	IANGES				
DATE	STEP	PROCEDURE CHANGE	В	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
-							
		·					
			,				
Part No		PAR #: Fault Category:	NCR: \	es No DQ	A:	Date: _	
			Q	A: N/C Close	d:	Date: _	
NCR:		WORK ORDER NON-CONF	ORMANCE (N	ICR)			

NCR:		•	WORK ORI	DER NON-CONFORMANC	E (NCR)			
		Description of NC		Corrective Action Section B		Verification	A	
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
	1							
	ľ		~					
-								
		<u> </u>						<del>                                     </del>
	:				•			
	:							
						,		

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	38922
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

		<del></del>		Re	corded Actu	ıal Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443		.443	0,443	0.443	0,443		
B,	1.745	1.755		1749	1747	1,749	1.752		
C	3.495	3.505		3.498	3.500	3,500	3.499		
D	1.745	1.755		1749	1,748	1,7419	1.749		
E	7.990	8.010		7.995	7.997	7.997	7.997		_
F	0.490	0.510		504	0.496	0.500	0.507		
G	0.257	0.262		258	,258	258	.258		
I	0.375	0.380	•	.377	.377	、3フノ	.377		
	0.490	0.510		.498	.498	500	-500		
Ĵ	1.174	1.184		1.181	1.181	1181	1.180		
K	0.558	0.578		.565	,570	.570	.50		
L	1.174	1.184		1.181	1.181	1.181	1.180		
M <sup>.</sup>	1.365	1.375		1.370	1.370	1.370	1,270		
Z	2.495	2.505		2.499	2.500	2.500	2.501		
0	4.119	4.129		4.121	4.121	4.121	4.121		
Р	0.115	0.135		1122	122	.117	, 124		
Q	0.115	0.135		./35	131	135	.136		
R	0.240	0.260		.256	.256	.247	.248		
S	0.115	0.135		1/30	-122	.124	124		
T	0.178	0.198		188	.188	-188	.181		
Ù	3.210	3.250		3.230	3.230	3,230	3.230		4
<b>V</b>	0.230	0.250	•	,250	244	,240	240		
·W	0.115	0.135		132	.130	./22	122		
Χ	0.308	0.313		0.308	0.311	0.310	0.310		
Υ	0.760	0.765		0.760	0.760	0,760	0.760		
Z	0.352	0.372		.353	0.3545	0.364	0.364		
AA	0.470	0.530		.500	.50	.500	,500,		
AB	0.615	0.635		.620	0.6305		0.634		
AC	0.053	0.073		.063	0.063	0.063	0.063		***
AD	0.240	0.260		250	,200	.250	・マケン		1
ΑE	1.500	1.520		1.511	1.511	1.510	1.520		
AF	0.115	0.135		.119	.120	.135	135	·	
AG	0.240	0.280		.256	,260	.260	1260		
AH	0.240	0.260		.257	.250	.253	.213		
ΑI	2.000	2.020		2-001	2.001	2.001	2,000		
AJ	0.023	0.043		0.033	0.033	0.033	0.033'		
	Acc	ept/Reje	ct						

Measured by: XAO	Audited by SI
Date: 08/05/17	Date: 08705/23

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.26	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	-1
E	05.12.05	Added dimension AJ	KJ/JLM o	

DART AEROSPACE LTD	Work Order:	38922
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

				Re	corded Actu	ual Dimensi	ons		•
Dim	Min	Max	Go/No Go Gauge	5	6	7	8	Ву	Date
Α	0.438	0.443		0,443	,443	.443	.443		
В	1.745	1.755		1,70	1.750	1.750	1.750		
C	3.495	3.505		3,500	3.00	3.00	3,500		
Ū	1.745	1.755		1.750	1.750	1750	1.750		
Ē	7.990	8.010		7.998	7.958	7.998	7.996		
F	0,490	0.510		0.508	,500	· 6 3.	500		
G	0.257	0.262		.253	258	0.258	0,258		
Н	0.375	0.380		.377	-377	0.378	0,3785		
Ī	0.490	0.510		0:499	04985	0,500	0,500		
J	1.174	1.184		1.179		1.179	1.180		
K	0.558	0.578		0.5/eZ	0.563	0.566	0.543		
. L	1.174	1.184	-	1.179	1179	1.180	1.180		
M	1.365	1.375		1.370	1.370	1,320	1,370		
N	2.495	2.505		2500	2-500	2-500	7.500		
0	4.119	4.129		4/21	4121	4.120	4.121	•	
Р	0.115	0.135		-124	120	4.130 0.122	0.123		
Q	0.115	0.135		0,135	0.135	0.135	0,135		
R	0.240	0.260		249,	,250	0.250	0.248		
S	0.115	0.135		0.115	0.120	0.122	0.120		
Т	0.178	0.198		188	188	0,/85	0.184		
U	3.210	3.250		3,230	3,271	3.230	3.230		
V	0.230	0.250		0.230	(2,235	0.235	0.232		
W	0.115	0.135		0119	0.123	0.123	0.122		
X	0.308	0.313		.711	311	3/1	2311		
ŤΥ	0.760	0.765		. 760	760	. 160	.760		
Z	0.352	0.372		0.363	.362	.367_	-365	,	
AA	0.470	0.530		500	1,00	0,500	0.500		^
AB	0.615	0.635		0.629	.629	-62-5	1625		
AC	0.053	0.073		0.063	-065	:063	,063		
AD	0.240	0.260		.250	1250	0.243			
ΑE	1.500	1.520		1.520	1,543	13125	1.5136		~
AF	0.115	0.135		0.120	0130	0.130	0.122		
AG	0.240	0.280		.260	.260	0,260			
AH	0.240	0.260	**	0.240	0.245	0.2455	0.260		
ΑI	2.000	2.020		2,009	2,003	20025	20035		
AJ	0.023	0.043		.033	-033	.033	1033		
	Acc	ept/Reje	ct						

	(10)	/ ~			
Measured by:	- X-R/	1 / 77	Audited by	E 211	_
Date:	26/25/	1 1/2	Date:	6	2/13
Date.	04-/0A/	1 8/ 08/05/20 -	Date.	000	S/ aL

Rev	Date	Ćhangė	Revised by	Approved
Α		New Issue	RF	
В	02.09.26	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	1
E	05.12.05	Added dimension AJ	KJ/JLM 🚓	911



